

GALLATIN PUBLIC UTILITIES

Bid Proposal

Item: **Parking Lot Resurfacing**

Bid Date: _____

Company Address: _____

Phone Number: _____

Manufacturer: _____

Bid Information

- (1) **Prices F.O.B., 249 Hancock Street, Gallatin, Tennessee 37066.**
- (2) Owner reserves the right to order from other suppliers if delivery dates are not satisfactory to this department.
- (3) Vendor must furnish manufacturer's product description and warranties.
- (4) The department reserves the right to waive informalities and to accept or reject any and/or all bids.
- (5) Submit bids in a sealed envelope bearing the name and address of the bidder on the outside.
- (6) Order will be placed within 7 working days of bid date.
- (7) Delivery dates over 30 days must be noted in the bid.

Bid: **Parking Lot Resurfacing**

Date: **September 19, 2012**

Time: **2:00 p.m. CST**

If forwarded by mail, the sealed envelope containing the bid must be enclosed in another envelope, addressed to the attention of the Assistant Superintendent, Gallatin Public Utilities, 239 Hancock Street, Gallatin, Tennessee 37066.

NO BIDS SHALL BE FAXED

Specifications: Parking Lot Resurfacing – See Attached Specifications.

Size & Type	Quantity	Unit Price	Amount
1. Parking Lot Resurfacing	1		

Signature of Authorized Representative: _____

Company Name: _____

Company Address: _____

Telephone Number: _____

Fax Number: _____


E-mail: _____

Specifications for Parking Lot Resurfacing

1. Furnish all materials, labor, and equipment necessary to perform the indicated work.
2. Mill areas as necessary to maintain proper drainage and accessibility, to include but not limited to the following:
 - * Areas in front of roll-up doors
 - * Areas at loading dock and equipment shed
 - * Areas along sidewalk in front of Service Center
 - * Handicap Parking and Ramp in front of Administrative Offices
 - * Areas along curbs

Waste material from the milling shall be hauled off-site for disposal.

3. Machine broom areas to be resurfaced.
4. Applying a tack coat of liquid asphalt to areas to be resurfaced, to provide a bond between the existing asphalt surface and the new asphalt.
5. Proposed asphalt overlay shall tie-into existing, new asphalt parking lot and overlay.
6. Construct a 1½" compacted thickness hot mix asphalt surface overlay.
7. Remove and replace curb stops.
8. Apply painted line markings and handicap parking markings back to the original layout – unless otherwise specified by Gallatin Public Utilities.
9. Total work area is approximately 7,900 square yards.
10. Pricing shall be on a lump sum basis.



GALLATIN
PUBLIC UTILITIES

GALLATIN
PUBLIC UTILITIES
SERVICE CENTER

EXISTING
STORAGE
BUILDING

